

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	16	automatic\$4 near10 prob\$4 near10 signal\$4 near10 config\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 13:53
L3	0	automatic\$4 near10 prob\$4 near10 signal\$4 near10 config\$4 and 709/220-222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 13:53
S96	80	("5596723").URPN.	USPAT	OR	OFF	2006/09/12 08:28
S97	121	automatic\$4 near10 config\$4 near10 network\$4 near10 device\$4 and @ad<"20001114"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 08:29
S98	21	automatic\$4 near10 config\$4 near10 network\$4 near10 device\$4 and @ad<"20001114" and 709/220-222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 08:32
S99	0	automatic\$4 near10 config\$4 near10 network\$4 near10 device\$4 and prob\$4 near10 signal\$4 and 709/220-222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 08:32
S10 0	3	automatic\$4 near10 config\$4 near10 network\$4 near10 device\$4 and @ad<"20001114" and prob\$4 near10 signal\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 08:34
S10 1	80	("5596723").URPN.	USPAT	OR	OFF	2006/09/12 08:41
S10 2	26	config\$6 near10 (client\$1 server\$1 computer\$4) near10 multiple\$4 near10 protocol\$4 and @ad<"20001114"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 08:48
S10 3	175	connect\$4 near10 (client\$1 server\$1 computer\$4) near10 multiple\$4 near10 protocol\$4 and @ad<"20001114"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 08:49



## EAST Search History

S10 4	132	connect\$4 near10 (client\$1 server\$1 computer\$4) near10 multiple near10 protocol\$4 and @ad<"20001114"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 08:49
S10 5	77	connect\$4 near10 (client\$1 server\$1 computer\$4) near10 multiple near10 protocol\$4 and @ad<"20001114" and ("709".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 08:56
S10 6	68	connect\$4 near10 (client\$1 gateway\$4 computer\$4) near10 multiple near10 protocol\$4 and @ad<"20001114" and ("709".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 08:56
S10 7	18	config\$7 near10 (client\$1 gateway\$4 computer\$4) near10 multiple near10 protocol\$4 and @ad<"20001114" and ("709".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 09:05
S10 8	4	prob\$4 near10 signal\$4 same (DHCP PPOE OAM) and @ad<"20001114" and ("709".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 09:01
S10 9	2	config\$7 near10 (client\$1 gateway\$4 computer\$4) near10 valid\$4 near10 protocol\$4 and @ad<"20001114" and ("709".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 09:07
S11 0	4	config\$7 near10 (client\$1 gateway\$4 computer\$4) near10 valid\$4 near10 protocol\$4 and @ad<"20001114"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 09:06
S11 1	15	config\$7 near10 valid\$4 near10 protocol\$4 and @ad<"20001114" and ("709".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 09:08
S11 2	15	determin\$4 near10 valid\$4 near10 protocol\$4 near10 network\$4 and @ad<"20001114" and ("709".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 09:08
S11 3	10	("4700340"   "5526344"   "5528595"   "5568525"   "5577105"   "5715392"   "5726640"   "5805822"   "5826017"   "5867494").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/12 09:21

## EAST Search History

S11 4	0	config\$6 near10 protocol\$4 same banyan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 09:21
S11 5	5	config\$6 same protocol\$4 same banyan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 09:22
S11 6	1	"5307413".PN.	USPAT; USOCR	OR	OFF	2006/09/12 09:27
S11 7	1	"5778189".PN.	USPAT; USOCR	OR	OFF	2006/09/12 09:28
S11 8	1	"6006090".PN.	USPAT; USOCR	OR	OFF	2006/09/12 09:28
S11 9	1	"6064671".PN.	USPAT; USOCR	OR	OFF	2006/09/12 09:28